



# 285B/295A 1" Air Impactool™



# More, More, More...

The 285B & 295A models combine exceptional power, control and durability. They deliver 1770 ft-lb of maximum torque @ 120 psi, with 5,250 rpm free speed and a high-efficiency, 6-vane motor. The swept-back 285B handle provides excellent maneuverability and the top-mounted 295A dead handle provides great leverage for difficult underbody work.

## MORE POWER

- Delivers 1,770 ft-lb maximum torque
- 2 second FAST-torque™

## MORE CONTROL

- Improved feather-touch trigger
- 3 position power regulator in both forward & reverse

## MORE DURABILITY

- New increased pressure rating
- New hammer design

**Standard 6" extended anvil** for better access to hard-to-reach places\*

**Shrink-fit 6-vane air motor** delivers 1,770 ft-lbs of maximum torque



SPECIFICATION	@ 120 PSI	@ 90 PSI
Max Torque (reverse)	1770 ft-lb (2400 Nm)	1475 ft-lb (2000 Nm)
Working Torque Range	120-1080 ft-lb (163-1464 Nm)	100-900 ft-lb (136-1220 Nm)
Blows Per Minute	830	700
Free Speed	5,250 rpm	5,000 rpm
Impacting Sound Level	100.8 dBA <b>295A</b> (99.7 dBA)	99.8 dBA <b>295A</b> (97 dBA)

AIR REQUIREMENTS	@ 120 PSI	@ 90 PSI
Average Air Consumption	10 cfm (283 l/min)	10 cfm (283 l/min)
@ Load	61 cfm (1727 l/min)	45 cfm (1274 l/min)
Air Inlet	1/2" NPTF	1/2" NPTF
Minimum Hose Size	1/2" (13 mm)	1/2" (13 mm)

**Ergonomic swept-back handle** provides excellent maneuverability


\*Also available with standard anvil on 285B

# 285B & 295A

## Use Your Time Wisely

### 2-Second FAST-Torque™

Time is money and Ingersoll Rand will help you spend that time more wisely with the new 285B and 295A series of tools. These tools will remove lug nuts up to 36% faster than the competition, delivering 1,000 ft-lbs of brute force in just 2 seconds. By using your time wisely, you can now get the job done FAST!



**Protective rubber boot**  
shields tool from exterior damage

**Durable 120 PSI rated design**  
better matches real working conditions

**Feather-touch trigger**  
Provides superior control

**Three-position power regulator**  
gives range of power control in both forward and reverse



## The 285B & 295A Family of Impacttools™



**285B**  
**Impactool™**  
1" Drive



**285B-6**  
**Impactool™**  
1" Drive  
includes extended 6" anvil



**285B-S6**  
**Impactool™**  
#5 Spline drive  
includes extended 6" anvil



**295A**  
**Impactool™**  
1" Drive



Go to [irtools.com](http://irtools.com) for information about quality Ingersoll Rand accessories.

**Ingersoll Rand provides total solutions** for getting the job done right. When you need genuine replacement parts, count on us to deliver.



Ingersoll Rand Industrial Technologies provides products, services and solutions that enhance our customers' energy efficiency, productivity and operations. Our diverse and innovative products range from complete compressed air systems, tools and pumps to material and fluid handling systems and environmentally friendly microturbines. We also enhance productivity through solutions created by Club Car®, the global leader in golf and utility vehicles for businesses and individuals.

(800) 376-TOOL • [irtools.com](http://irtools.com)